

5104732



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200
Fax 613 632-5246

RBE350A94-2706-00-01A**Job Sheet 182296****Part No:** RBE350A94-2706-00-01A**Job Qty:** 90 ea**Part Name:** Pin Shaft**Part Weight:** 0 lbs**Status:** Scheduled**Priority:** High**Job Created:** 8/22/18**Job Tracking No:****Due Date:** 8/20/18**Created By:** Logan David**Type:** SOLD**Description:****Note:** DWG RBE350A94-2706-00 REV 6 IPP REV A 18-01-15 NEW ISSUE JFC VERIFIED DP**Ship Via:****Bill of Materials****Job Routing**

Op No	Operation	Qty	Start Date	Due Date	Standard		Workcenter/Supplier		Sign-off
					Setup hrs	Run Hrs	Workcenter / Supplier	Lead Time	
90	Start up Operation	90 Ea	8/20/18	8/20/18	0.00	0.00	Start Up Machining-3		<i>18/08/23</i>
110	CNC Lathe	90 pcs	8/20/18	8/20/18	0.00	45.00	MORI SL-154		<i>18/08/23</i>
120	QC	90 pcs	8/20/18	8/20/18	0.00	0.00	QC2 Machining-4		<i>18/08/23</i>
130	QC	90 pcs	8/20/18	8/20/18	0.00	0.00	QC8 Machining-4		<i>18/08/23</i>
140	Packaging	90 pcs	8/20/18	8/20/18	0.00	0.00	Packaging3-1		<i>18/08/23</i>
150	QC21-SA	90 Ea	8/20/18	8/20/18	0.00	0.00	QC21		<i>21</i>

Part Op 110 - 1-Machine as per DWG. FB734 FOLIO REV: _____ DWG REV: _____ 2-Debur 3-Engrave Dash
 Descriptions: number Using Marktronic engraver as per DWG.

Job BOM

Part / Item	Component Name	Quantity	Operation	Container
88625K65	Dowel Pin Ø6mm x 40mm	19.8000 ft (.22 ea)	90-Start up Operation	<i>5050745</i>

Job Allocations

Operation	Component Part	Required	Inventory	Allocated
90-Start up Operation	88625K65	20	56	0

Part Specifications

Specifications could not be found.

Plex 8/22/18 10:19 AM dart.logan.david



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K64 1K7
CANADA
TEL.: 1 613 632-5200
Email: sales@dartaero.com
www.dartaerospace.com

Container No: S104734



Part: RBE350A94-2706-00-01A

Job No: 182296

Serial No/Batch: S104734

Revision: 6

Inspector:



Exp Date:

Instructions:

Date: 08/23/10

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
3		MOVED LENGTH B DIMENSION TO Ø.118in. HOLE CENTERLINE & ADDED 1.5mm TO -.01 THRU -.09 PINS IN TABLE. ADDED A TOLERANCE TO Ø.118in HOLE TO ACHIEVE A LIGHT PRESS FIT FOR -.11. CHD HOLE FROM Ø.118 TO Ø.113 FOR CABLE TIES @ END OF PIN PER S.E.	5/26/2015	RJC	RW
4	15-0120	CH'D TOLERANCE BLOCK WAS .XXX ± .004 IS .XXX ± .005.	5/26/2015	DPD	JAG
6	16-0281	-01A, -03A, -05A, -07A, -09A CH'D DIM WAS 2X Ø.118 +.001/- .000 THRU ALL IS Ø.1180/.1176 THRU ALL (P.F. -11). ADDED DIM Ø.12 THRU ALL. ADDED ENGRAVE DASH No., ADDED ENGRAVE DASH No. COLUMN TO TABLE.	1/12/2017	RJC	JAG



-01A, -03A, -05A, -07A, -09A

PIN SHAFT

ENGRAVE	PIN DIMENSION TABLE		
DASH No.	P/N	ØA	LENGTH B
-01	-01A	6mm	2.028
-03	-03A	8mm	5.177
-05	-05A	8mm	3.012
-07	-07A	6mm	4.783
-09	-09A	8mm	1.240

DART AEROSPACE	
TITLE RIGGING PIN SET	
DWG NO. RBE350A94-2706-00-01A	REV 6
MAT'L O-1	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES
HEAT TREAT	.XXX ± .005 FRACTIONS ± 1/8
FINISH SEE -01, -03, -05, -07, -09	.XX ± .01 ANGLES ±.5°
SPEC	.X ± .1 SURFACES = 125
DRAWN BY: PERRITT	1. BREAK ALL SHARP EDGES .015 x 45° OR .015R
CHECKED: DUERFELDT	2. DIMENSIONAL LIMITS APPLY AFTER PLATING
OPPS APPR: ANDERSON	3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009
QA APPR: LINDSAY	USED ON MODEL
APPROVED: GILBERT	EUROCOPTER AS350/355
SCALE 1:1	DATE 9/11/2009
SHEET 3 OF 3	

